



ARP Industries



Sy No 151/A, Ramdev Galli,
Savagaon, Belagavi 590008

Contact- 9110601991/8618766629
Web- www.arp-industries.com
Mail- contact@arp-industries.com

An ISO 9001-2015

GSTIN-29ABLFA9846N1ZG

ARP Industries have proudly molded themselves to this enriched Indian culture and came with the conclusion- The ARP. Arise Ride and Progress, ARP Industries have arisen to ride the horse of modern technology like composite material in various field and ride is from startup to the major contributor in wellbeing of mankind. And progressing towards sustainable development of India. ARP Industries appeal you to contribute in our mission of wellbeing of mankind.


ARP is engaged in design, manufacturing and supplying the new models of composite material (FRP) in various field. ARP Industries Belagavi, Leading manufacture of FRP Products. We developed low budget ready to use toilets, Bio toilet, Bio-Digester Tank etc.


OUR PRODUCTS


FRP Bio-Toilet/ PORTABLE TOILET


We manufacture Bio-Digesters that require no sewage-line connection or additional septic tanks for disposal of black water or waste from toilets. The Bio digester technology is completely Eco-Friendly and Green rated product. Bio digetor disposes human waste in 100% eco-friendly manner and generates color less, odorless water and inflammable Methane- Gas for cooking, water heating & room heating etc. as a byproduct. This technology is 100% maintenance free and continuous biological process. This technology requires no dependence on the limited and costly conventional energy sources and saves space, energy, environment, time and Good Health.


ARP INDUSTRIES is manufacturing Bio-Digesters (Bio-Toilets) and Machinery Spares. We manufacture and supply an extensive range of FRP portable toilet.

FRP Basic Indian Toilet		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3.25 x 3.25 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 4mm thickness
		Number of compartment	1
		Inbuilt water tank	-
		Shape	Square
		Commode	Indian (Ceramic)
		flooring	FRP
		plumbing	Tap
		Electrical connection	Provided


FRP Basic Urinal	Product Details	
	Minimum order Quantity	1 Piece
	Material	FRP
	Dimensions	3.25 x 3.25 x 8 Feet
	Color	All color Available
	Brand	ARP
	Feature	Eco friendly
	Fiber wall	FRP wall of 4mm thickness
	Number of compartment	1
	Inbuilt water tank	-
	Shape	Square
	Commode	Urinal (Ceramic)
	flooring	FRP
	plumbing	Tap
	Electrical connection	Provided


FRP Basic Western Toilet	Product Details	
	Minimum order Quantity	1 Piece
	Material	FRP
	Dimensions	3.25 x 3.25 x 8 Feet
	Color	All color Available
	Brand	ARP
	Feature	Eco friendly
	Fiber wall	FRP wall of 4mm thickness
	Number of compartment	1
	Inbuilt water tank	-
	Shape	Square
	Commode	Western (Ceramic)
	flooring	FRP
	plumbing	Tap
	Electrical connection	Provided


FRP Modular Toilet		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3.25 x 3.25 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 4mm thickness
		Number of compartment	1
		Inbuilt water tank	-
		Shape	Square
		Commode	Indian (Ceramic), Wash Basin , flush tank
		flooring	FRP
		plumbing	Tap
		Electrical connection	Provided


FRP Vip Toilet		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3.25 x 3.25 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 8mm thickness
		Number of compartment	1
		Inbuilt water tank	120 liter
		Shape	Square
		Commode	Indian (Ceramic)
		flooring	FRP
		plumbing	Tap
		Electrical connection	Provided

FRP Vip Western Toilet		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3.25 x 3.25 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 8mm thickness
		Number of compartment	1
		Inbuilt water tank	120 liter
		Shape	Square
		Commode	western (Ceramic), Wash Basin
		flooring	FRP
		plumbing	Tap
		Electrical connection	Provided

FRP Bathroom		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3.25 x 3.25 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 4mm thickness
		Number of compartment	1
		Inbuilt water tank	-
		Shape	Square
		Commode	Shower , Soap Holder
		flooring	FRP
		plumbing	Tap
		Electrical connection	Provided

FRP Luxuiry Indian Toilet		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	4 x 4 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 12mm thickness Thermally insulated
		Number of compartment	1
		Inbuilt water tank	400 liter
		Shape	Square
		Commode	Indian (Ceramic), wash basin , mirror
		flooring	Anti-Skits Tiles
		plumbing	Tap
		Electrical connection	Provided

FRP Luxuiry Westerntoilet		PRODUCT DETAILS	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	4 x 4 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 12mm thickness, thermally insulated
		Number of compartment	1
		Inbuilt water tank	400 liter
		Shape	Square
		Commode	Western (Ceramic), wash basin , mirror
		flooring	Anti-Skits Tiles
		plumbing	Tap
		Electrical connection	Provided


Frp Luxuiry Toilet Cum Bathroom		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	4 x 5 x 8 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 12mm thickness
		Number of compartment	1
		Inbuilt water tank	500 liter
		Shape	Square
		Commode	Western (Ceramic)
		flooring	Anti-Skits Tiles
		plumbing	Tap
		Electrical connection	Provided


Mobile toilet

We manufacture and supply an extensive range of FRP mobile toilet. We manufacture Bio-Digesters that require no sewage-line connection or additional septic tanks for disposal of black water or waste from toilets. The Bio digestor technology is completely Eco-Friendly and Green rated product

SPECIFICATIONS

- Total number of toilet- 10 or 8 or 6 or 4
- 2 wash basin (1 for gents & 1 for ladies) with mirror arraignment at Front side.
- 1000 liter water tank
- 1000 liter septic tank
- Electrical connection:
 - 12 bulb with switch board
- Size of each toilet cabin- 3.25 X 3.25 feet
- Toilet of FRP material with 3 or 5 or 10 mm wall thickness.
- Indian toilet & western commode are in ceramic material.
- Complete Plumbing work for all toilet.
- Septic tank with Drain port with valve attached and gas pipe line.
- Trolley size: L-19', W-7', H-10.6' Made up off steel body
 - Four wheels trolley with turning table.
 - Chassis made of C-channel=125x65mm,
 - Floor made of C-channel=75X40mm,
 - Suspended with heavy duty leaf spring.
- Ladder on both side of toilet, platform adjustable with side railing.

Frp Mobile Toilet	Product Details	
	Minimum order Quantity	1 Piece
	Material	FRP
	Dimensions	9X21 Feet
	Color	All color Available
	Brand	ARP
	Feature	Eco friendly
	Fiber wall	FRP wall of 4mm thickness
	Number of compartment	10
	Inbuilt water tank	1000 liter
	Shape	Square
	Commode	Indian/western (Ceramic)
	flooring	FRP
	plumbing	Tap
	Electrical connection	Provided
	Septic tank	1000 liter

Erp Vip Mobile Toilet		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	5 X 10 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 12mm thickness
		Number of compartment	3
		Inbuilt water tank	1000 liter
		Shape	Square
		Commode	Indian/ western (Ceramic)
		flooring	Anti-Skits Tiles
		plumbing	Full Plumbing work
		Electrical connection	Provided
		Septic tank	1000 liter

FRP SEPTIC TANKS

FRP septic tank which is composed by synthetic resin and fiber reinforced plastic, is designed to treat domestic sewage. The major use of FRP septic tank is to store excreta and treat them with anaerobic digestion to decrease the solid content in sewage. It is needed in many fields, including waste disposal, petrochemical, chemical, light, electricity, pharmaceutical, power and civil industries.


As a composite product, FRP septic tank possesses light weight, fine surface finish, vivid color, good hardness, high strength and corrosion resistance. Due to all these advantages, it has far exceeded congeneric product which are made of ceramic, hard-plastic, steel and many other materials.


In the era of the technological revolution septic system is being one of the effective wastewater treatment system in the rural areas, provides instant on site purification of the waste water without contaminate surroundings. We as a manufacturer, supplier and exporter of the FRP tanks understand the septic system and to help the system we come out with a range of the **FRP septic tank** that is outshining in the field of the septic system for the durability and reliability it shares. This FRP septic tanks are manufactured sourcing the proven quality FRP material in line with the outlined ISO 9001:2008 quality standards and also undergoes sever testing to ensure its compliance. The offered FRP septic tanks deliver all the advantages over the concrete and metal septic tanks including, excellent corrosive resistance, resistance to microbial, resistance to temperature variation, sturdy construction, light weight, smooth internal surface and much more at comparatively lower rates than other tanks.

Further, the implementation of the butt fusion welding technology enables accomplishing completely leak proof construction that lasts over years impeccably. The anti corrosive property of these FRP septic tanks treats the wastewater naturally by holding it in the tank for a certain period so as the solids and liquids separate. We provide this FRP septic tank in various specifications as well as bespoke specifications and both are well known for the outshining customer's requirements considerably.

Enticing attributes of our FRP Septic Tank:


- Highly efficient performance
- Light weight, easy to install
- Anti corrosive
- High impact strength
- Smooth internal surface
- Leak proof construction


Frp Round Septic Tank		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3 x 7 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 4mm thickness
		Number of compartment	3

Frp Round Septic Tank		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	4x 5 Feet
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Fiber wall	FRP wall of 4mm thickness
		Number of compartment	3

FRP BIO DIGESTER TANK


- These Biodigester tank can function at any atmospheric temperature between -40°C to 45°C .
- The bacterial consortium degrades night soil at temperature as low as -40°C and produces colorless, odorless, inflammable biogas containing 50% - 70% methane.
- Biodigester can be designed of mild steel and Fiber Reinforced Plastic (FRP).
- Biodigesters are cylindrical or square in structure with the provision of inlet for human waste and outlet for Biogas. Temperature in these biodigesters is maintained between 5°C - 30°C .
- A person can use the toilet which is connected to the biodigester tank. Night soil degradation occurs through microbial reaction which converts it into biogas.
- The smell of night soil, the disease causing organism in the night soil and the soil matter are almost eliminated. On dry weight basis 90% of the solid waste is reduced.
- The gaseous effluent (biogas) is continuously left off to the atmosphere.
- Biogas can be used for various energy incentive activities like cooking, water and room heating.
- Liquid effluent can be drained to any surface or soak pit without any environmental hazards.

Frp Biodigester Tank	Product Details	
	Minimum order Quantity	1 Piece
	Material	FRP
	Dimensions	4X 5X6 Feet
	Color	All color Available
	Brand	ARP
	Feature	Eco friendly
	Fiber wall	FRP wall of 8mm thickness
	Number of compartment	3 according
	Anaerobic Bacteria	100 kg

Frp Round Biodigester Tank	Product Details	
	Minimum order Quantity	1 Piece
	Material	FRP
	Dimensions	3 x 5 Feet
	Color	All color Available
	Brand	ARP
	Feature	Eco friendly
	Fiber wall	FRP wall of 10mm thickness
	Number of compartment	3
	Anaerobic Bacteria	20kg
	Shape	round

FRP SCHOOL BENCHES


We are a well-known player in the domain in India and is engaged in manufacturing and supplying the most sought after range of FRP Two Seater School Benches in belgaum, Karnataka. The wide range of School Bench includes cast iron bench, FRP bench, simple bench, FRP four seater school bench, FRP two chair model school bench and FRP two seater school bench among others. These are widely used in play school, primary school, high school and other educational institutions.

Frp College Bench	Product Details	
	Minimum order Quantity	10 Piece
	Material	FRP
	Top Dimensions	L-42 x W-12.5 x H-33/31 Inch
	Seat Dimensions	L-42 x W-12 x H-19 Inch
	Base	Steel 25 X25 & 50X25 Rect. Tube of 18 Gauge
	Basket	MS Mesh
	Fiber wall	FRP wall of 4mm thickness
	Color	All color Available
	Brand	ARP
	Seating Capacity	2

Frp School Bench		Product Details	
		Minimum order Quantity	10 Piece
		Material	FRP
		Top Dimensions	L-36 x W-12.5 x H-33/31 Inch
		Seat Dimensions	L-36 x W-12 x H-19 Inch
		Base	Steel 25 X25 & 50X25 Rect. Tube of 18 Gauge
		Basket	MS Mesh
		Fiber wall	FRP wall of 4mm thickness
		Color	All color Available
		Brand	ARP

FRP DOORS and FRAMES


We are offering frp fiber doors providing an elegant series of frp exterior doors such as decorative doors, frp plain door, two panel glass door, composite door with conventional doors, multi color fiber doors and many more items at its best, with utmost quality. Available in various designs, sizes and colors, this door can also be customized as per the tastes and specifications of our valuable clients

Frp Doors & Frame		Product Details	
		Minimum order Quantity	5Piece
		Material	FRP
		Dimensions	As per Reuirement
		Color	All color Available
		Brand	ARP
		Feature	Eco friendly
		Thickness	25-45mm

FRP SECURITY CABIN

Features of "FRP make Security Cabin"

1. Cabin of required size is prefabricated structure of MS 1" X 1" square pipe.
2. Fabricated walls covered of 3mm FRP layer on the outer side and 3mm FRP layer on the inner side and the gap filled with 20 mm thick, 32kg/cum polyurethane foam. Thickness of wall approximately 30 mm. It Gives strength and Insulation.
3. Three Nos powder coated sliding aluminium window with 5mm thick Glass.
4. One lockable, powder coated aluminium door frame with shutter, partly paneled and partly glazed, thickness of Glass 6mm.
5. Concealed switch mounted on wall with necessary GI wire drawn to assist internal wiring.
6. 2 Nos of '5 amp' Electrical sockets with switches for phone, light and Electrical wiring.
7. One No. of 2Ft Tube light fitting for inside and outside.
8. Finished with Polyurethane Paint (Colour of your choice)

Frp Security Cabin	Product Details	
	Minimum order Quantity	1 Piece
	Material	FRP
	Dimensions	4 x 4 x 8 Feet
	Color	All color Available
	Brand	ARP
	Feature	Eco friendly
	Fiber wall	FRP wall of 25mm thickness
	Number of compartment	-
	Inbuilt water tank	-
	Shape	Square
	Windows	3
	flooring	FRP
	plumbing	Tap
	Electrical connection	Provided


FRP BUCKET ELEVATOR

Buckets are made with bent and welded steel plates, properly reinforced with welded plates in wear resistant material for heavy application. Drawn or pressed for light materials.


We are well known Manufacturer and Supplier of **FRP Conveyor Buckets**. These Conveyor Buckets are efficiently used to transfer molding sand in continuous casting units. Due to their high abrasion resistance quality, our FRP Conveyor Buckets are preferred over the conventional metal buckets. The Fiberglass used in manufacturing these FRP Conveyor Buckets is quality tested on various parameters.

Attributes:


- Can withstand abrasion
- Non-corrosive
- Light in weight


Frp Bucket Elevator		Product Details	
		Minimum order Quantity	Minimum order Quantity
		Material	Material
		Dimensions	Dimensions
		Color	Color
		Brand	Brand
		Thickness	4-25mm

FRP DOG HOUSE


Frp Doghouse		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3.5 x 3.5 x 3.5 Feet
		Color	All color Available
		Brand	ARP
		Fiber wall	FRP wall of 6mm thickness


FRP DUST BIN


Frp Dust Bin		Product Details	
		Minimum order Quantity	5 Piece
		Material	FRP
		Dimensions	3.5 x 4 Feet
		Color	All color Available
		Brand	ARP
		Fiber wall	FRP wall of 6mm thickness


Frp Rabit Dustbin		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		Dimensions	3x 5 Feet
		Color	All color Available
		Brand	ARP
		Fiber wall	FRP wall of 6mm thickness

PLY GROUND EQUIPMENTS

Frp Big Wave Slide		Product Details	
		Minimum order Quantity	1 Piece
		Material	FRP
		length	12 Feet
		Height	6 feet
		Brand	ARP
		Guage	14

Frp Spiral Slide		Product Details	
		Structure	Galvanized Iron / Powder Coat
		Material	FRP
		length	6 Feet
		Height	6 feet
		Brand	ARP
		Guage	14

Frp Platform Merry Go Round		Product Details	
		Structure	Galvanized Iron / Powder Coat
		Material	FRP
		length	4 Feet
		Height	6 feet
		Brand	ARP
		Guage	14

Frp Duck Merry Go Round		Product Details	
		Structure	Galvanized Iron / Powder Coat
		Material	FRP
		length	5 Feet
		Height	2 feet
		Brand	ARP
		Guage	14


FOOD DELIVERY BOX

FRP/Fiberglass hand lay-up fiberglass delivery box series products are mainly manufactured using synthetic resin and reinforced with glass fiber by skilled hand lay-up process, finished with polish and with a solidified beauty surface.

Features:


- 1) Skillful manufacturing
- 2) Modern design
- 3) Corrosion resistance
- 4) Light weight
- 5) High intensity
- 6) Aging resistance
- 7) Excellent dimension stability
- 8) Long service life
- 9) Smooth surface
- 10) Good flexibility
- 11) Surface layer is gel coated, color is permanent
- 12) Logo sticker available
- 13) Manufactured using synthetic resin and reinforced with glass fiber


Non Led Food Delivery Box		Product Details	
		Size	Outer Dimension L*W*H : 510 X 510 X 510 (mm) Inner Dimension L*W*H : 500 X 500 X 500 (mm)
		Material	FRP
		Capacity	106Litters
		Color	All color Available
		Brand	ARP
		Box Weight	7 kg


LAUNDRY DELIVERY BOX		Product Details	
		Size	Outer Dimension L*W*H : 510 X 510 X 510 (mm) Inner Dimension L*W*H : 500 X 500 X 500 (mm)
		Material	FRP
		Capacity	106Litters
		Color	All color Available
		Brand	ARP
		Box Weight	7 kg

E-COMMERCE DELIVERY BOX		Product Details	
	Size	Outer Dimension L*W*H : 510 X 510 X510 (mm) Inner Dimension L*W*H : 500 X 500 X 500 (mm)	
	Material	FRP	
	Capacity	106Litters	
	Color	All color Available	
	Brand	ARP	
	Box Weight	7 kg	

FRP PACKAGING CASES

PACKAGING CASES	Product Details	
	Shape	Rectangular, square
	Material	FRP
	BOX Capacity	11-20KG
	Color	All color Available
	Brand	ARP
	Box Weight	7 kg
	Property	Water proof

FRP PACKAGING CASES	Product Details	
	Shape	Rectangular, square
	Material	FRP
	BOX Capacity	11-20KG
	Color	All color Available
	Brand	ARP
	Box Weight	7 kg
	Property	Water proof

FRP PACKAGING CASES for tools and Equipments		Product Details	
		Shape	Rectangular, square
		Material	FRP
		BOX Capacity	11-20KG
		Color	All color Available
		Brand	ARP
		Box Weight	7 kg
		Property	Water proof

Military FRP PACKAGING CASES		Product Details	
		Shape	Rectangular, square
		Material	FRP
		BOX Capacity	11-20KG
		Color	All color Available
		Brand	ARP
		Box Weight	7 kg
		Property	Water proof

FRP Storage tanks

We as a manufacturer, supplier and exporter of the FRP storage tank have earned prominent fame in the India as well as overseas countries for introducing an absolutely leak free and spill free range of the storage tank that not only holds inventory of petroleum fuel or other hazardous substance but guarantees that products don't run away into the environment where it can be dangerous for human, plant and animals.

This range of the **FRP storage tank** is designed and manufactured following ISO 9001:2000 controlled processes and adopting futuristic butt fusion welding technology in accordance to the DVS standards to ensure absolutely smooth and leak free joints that lasts for a lifetime. Our caution towards precision and quality all through the manufacturing process is what has made our range of the FRP storage tank flourishing in the market for the leak free and spill free experience it gives.

Our experience teamed with our expertise has enabled us to deliver this FRP storage tank in the widest gamut that incorporates:

The offered FRP storage tanks are available in the standard specification, whereas customization of the FRP storage tanks is also available on request, where in our sagacious team of the professional hear your requirements and according design and develop a range of FRP storage tank in miscellaneous sizes and shapes that best fit with your requirements.

SPECIFICATIONS

- Water Storage Tanks for food & non-food grade applications
- Chemical Storage Tanks for corrosive applications both for Acids as well as Alkalies of varying concentrations & pH Value
- Process Tanks meant for Phosphating, Pickling, Dosing, Electroplating and such like applications
- Tanks meant for use in Sewage Treatment Plants (STPs), Effluent Treatment Plants (ETPs) and Water Treatment Plants (WTPs)
- Tanks to be used as Septic Tanks and as Bio- Digesters for disposal of human waste and reuse as the case may be

We offer customized solutions to the material storage and handling needs of a wide spectrum of users. The FRP Tanks are carefully designed while keeping the following parameters in mind:

- Nature of work involved
- Nature of chemical to be stored and handled
- Level of corrosiveness of the chemical substance to be stored (its concentration & pH Value)
- Operating Temperature
- Operating Pressure

The choice of Resin- Epoxy, Vinyl ester or Un-Saturated Polyester primarily depends on the factors noted above. The overall wall thickness of the Fibreglass Tanks is governed by the pressure inside them.

Our FRP Tanks are manufactured for ground, underground & overhead applications.

Our FRP Tanks can be manufactured in a Monolith as well as Panel Type.

The Panel Tanks are used mostly used for over head applications and are assembled at sites using fasteners. The FRP Panel Tanks helps saving on transportation cost & are relatively easy to repair and maintain at a later stage.

Shape of the Tanks that we manufacture include Cylindrical, **Circular**, Rectangular, Square, Dish ended as well as Tapered base. There is a complete freedom in choosing design of the Tanks to suit the requirement of the end user.

The Tanks are provided with the following:

- Inlets
- Outlets
- Drains
- Lids / Top Cover
- Performance Indicators -pressure, temperature & volume
- Provision for fixing of equipment such as motors, pumps, agitators etc.
- Support Legs (if need be)
- Any other, as need be.


Features:


- Mechanically strong
- Impact Resistant
- Reinforced with steel for an added mechanical strength & dimensional stability
- Light weight & therefore easy to transport, handle & install
- Weather proof
- Chemical corrosion & abrasion retardant
- Can be made fire retardant
- A relatively high temperature resistance of up to One Hundred & Ten Degree Celsius
- Can be made available in any shape, size & colour as per customer requirement
- Provided with an inlet, outlet, drain & top cover (lid)
- Provision for fixing of accessories such as level indicators, temperature & pressure indicators, agitators, motors, pumps etc.
- Low maintenance
- Easily repairable in case of an accidental damage

- Highly durable
- A value for money product

Applications:

- Industrial
- Commercial
- Domestic-Residential

FRP Circular Tanks		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	
	Body Material	FRP	

Frp vertical tanks		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	
	Body Material	FRP	

--	--	--

FRP oil storage tanks	Product Details	
	Minimum Order Quantity	1 Litre
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant
	Brand	ARP
	Body Material	FRP

FRP FIBER GLASS TANK

These can broadly be categorized as follows:

- Water Storage Tanks for food & non-food grade applications
- Chemical Storage Tanks for corrosive applications both for Acids as well as Alkalies of varying concentrations & pH Value
- Process Tanks meant for Phosphating, Pickling, Dosing, Electroplating and such like applications
- Tanks meant for use in Sewage Treatment Plants (STPs), Effluent Treatment Plants (ETPs) and Water Treatment Plants (WTPs)
- Tanks to be used as Septic Tanks and as Bio- Digesters for disposal of human waste and reuse as the case may be

We offer customized solutions to the material storage and handling needs of a wide spectrum of users. The FRP Tanks are carefully designed while keeping the following parameters in mind:

- Nature of work involved
- Nature of chemical to be stored and handled
- Level of corrosiveness of the chemical substance to be stored (its concentration & pH Value)
- Operating Temperature
- Operating Pressure

The choice of Resin- Epoxy, Vinyl ester or Un-Saturated Polyester primarily depends on the factors noted above. The overall wall thickness of the Fibreglass Tanks is governed by the pressure inside them.

Our Fiberglass Tanks are manufactured for ground, underground & overhead applications.

Fiber Tanks can be manufactured in a Monolith as well as Panel Type.

The Panel Tanks are used mostly used for over head applications and are assembled at sites using fasteners. The FRP Panel Tanks helps saving on transportation cost & are relatively easy to repair and maintain at a later stage. Shape of the Tanks that we manufacture include Cylindrical, Spherical, Rectangular, Square, Dish ended as well as Tapered base. There is a complete freedom in choosing design of the Tanks to suit the requirement of the end user.

The Tanks are provided with the following:


- Inlets
- Outlets
- Drains
- Manhole
- Lids / Top Cover
- Performance Indicators -pressure, temperature & volume
- Provision for fixing of equipment such as motors, pumps, agitators etc.
- Support Legs (if need be)
- Any other, as need be.


Features:

- Mechanically strong
- Impact Resistant
- Reinforced with steel for an added mechanical strength & dimensional stability
- Light weight & therefore easy to transport, handle & install
- Weather proof
- Chemical corrosion & abrasion retardant

- Can be made fire retardant
- A relatively high temperature resistance of up to One Hundred & Ten Degree Celsius
- Storage capacity ranging from as low as five hundred litres to as high as three lac litres.
- Can be made available in any shape, size & colour as per customer requirement
- Provided with an inlet, outlet, drain & top cover (lid)
- Provision for fixing of accessories such as level indicators, temperature & pressure indicators, agitators, motors, pumps etc.
- Low maintenance
- Easily repairable in case of an accidental damage
- Highly durable
- A value for money product

FRP Fiberglass Tank		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	
	Body Material	FRP	

FRP chemical tanks		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	
	Body Material	FRP	

FRP chemical tanks		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	

	Body Material	FRP

FRP ACID STORAGE TANKS

FRP Acid Storage Tanks come in quite a diverse range and user base. FRP Acid Storage Tanks are prepared using chemical corrosion resistant material and are therefore able to resist chemical corrosion caused due to highly corrosive & reactive acids such as Hydrochloric & Sulphuric Acid.

Our FRP Acid Tanks are carefully designed while keeping the following parameters in mind:

- Nature of work involved
- Nature of acid to be stored and handled
- Level of corrosiveness of the chemical substance to be stored (its concentration & pH Value)
- Operating Temperature
- Operating Pressure The choice of Resin- Epoxy, Vinyl ester or Un-Saturated Polyester primarily depends on the factors noted above.

The overall wall thickness of the Fibreglass Tanks is governed by the pressure inside them. Tanks are prepared for ground, underground & overhead applications. Our Acid Storage Tanks can be prepared in a Monolith as well as Panel Type. The Panel Tanks are used mostly used for over head applications and are assembled at sites using fasteners. The FRP Panel Tanks helps saving on transportation cost & are relatively easy to repair and maintain at a later stage. Shape of the Tanks that we prepare include Cylindrical, Spherical, Rectangular, Square, Dish ended as well as Tapered base. There is a complete freedom in choosing design of the Tanks to suit the requirement of the end user.

FRP Acid Storage Tank	Product Details	
	Minimum Order Quantity	1 Litre
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L,500-1000 L,Available in any capacity subject to a maximum of 3.0 Lac Litres
	Storage	Milk/Dairy, Chemicals/Oils, Gases, Water



	Material	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant
	Brand	ARP
	Body Material	FRP

FRP Pipes & Pipe Fittings

Our collection is rigid in quality and confirms various industrial standards. Customized as per the specifications, these are high in demand in the global markets. Our fittings are durable and corrosion resistant.


Our FRP Pipes (Fiberglass Reinforced Plastic) are meant for tough industrial applications where exposure to rust, abrasion and chemical corrosion is common. FRP Pipes are meant for the conveyance of highly corrosive chemical substances and that too at high operating temperature and pressure. FRP Pipes find use in a wide spectrum of several Processes Based Industries such as Pulp & Paper, Sugar, and Chemical & Fertilizer FRP Pipes serve as an excellent substitute for metallic and ordinary plastic pipes especially for use in tough industrial environments.

Features and advantages:

- High mechanical strength
- Excellent impact resistance
- Weatherproof and therefore ideally suited for use in exposed conditions
- Anti-corrosive & anti-abrasive
- A high-temperature resistance of up to 110 Degree Celsius
- Can be made fire resistant, if need be
- A smooth glass like inside finish to help resist chemical deposits and frictional losses


- Maintenance free
- Easily repairable at a nominal charge in case of an accidental damage


Highly durable

FRP Pipes		Product Details	
	Single Piece Length	3 meter	
	Application	Drinking Water	
	Size/Diameter	3-1/2 inch	
	Hole Shape	Round	
	Brand	ARP	
	Body Material	FRP	
	Size	3.5 inch,2.5 inch,2 inch,1/2 inch	

-

FRP Turbo Ventilator

FRP Pipes		Product Details	
	Minimum quantity	01	
	Brand	ARP	
	Body Material	FRP	
	Thickness	2-8 mm	



PP FRP Tanks

Prominent & Leading Manufacturer from Faridabad, we offer pp-frp tanks, pp frp chemical tanks, pp frp water tanks, pp-frp storage tank, pp frp chemical storage tanks and pp-frp water storage tank.

These can broadly be categorized as follows:

- Water Storage Tanks for food & non- food grade applications
- Chemical Storage Tanks for corrosive applications both for Acids as well as Alkalies of varying concentrations & pH Value
- Process Tanks meant for Phosphating, Pickling, Dosing, Electroplating and such like applications
- Tanks meant for use in Sewage Treatment Plants (S.T.P.s), Effluent Treatment Plants (E.T.P.s) and Water Treatment Plants (W.T.P.s)
- Tanks to be used as Septic Tanks and as Bio- Digesters for disposal of human waste and reuse as the case may be

We offer customized solutions to the material storage and handling needs of a wide spectrum of industry.

The PP-FRP Tanks are carefully designed while keeping the following parameters in mind:

- Nature of work
- Nature of chemical to be stored and handled
- Level of corrosiveness of the chemical substance to be stored (its concentration & pH Value)
- Operating Temperature inside the Tank
- Operating Pressure inside the Tank

The choice of Resin- Epoxy, Vinyl ester or Un-Saturated Polyester primarily depends on the factors noted above. The overall wall thickness of the F.R.P. Tanks is governed by the pressure inside them.

Our PP-FRP Tanks are manufactured for ground, underground & overhead applications. Shape of the Tanks that we manufacture include Cylindrical, Rectangular, Dish ended as well as Tapered base. There is a complete freedom in choosing design of the Tanks to suit the requirement of the end user.

Tanks are manufactured with an internal volume ranging from five hundred litres to three lac litres.

The Tanks are provided with the following:

- Inlets
- Outlets
- Drains
- Lids / Top Cover
- Performance Indicators -pressure, temperature & volume
- Provision for fixing of equipment such as motors, pumps, agitators etc.
- Support Legs (if need be)
- Any other, as need be.

Features:

- Mechanically strong
- Impact Resistant
- Light weight & therefore easy to transport, handle & install

- Weather proof
- Chemical corrosion & abrasion retardant
- Can be made fire retardant, if need be
- A relatively high temperature resistance of up to hundred & ten degree celsius
- Storage capacity ranging from as low as five hundred litres to as high as three lac litres.
- Can be made available in any shape, size & colour as per customer requirement
- Provided with an inlet, outlet, drain & top cover (lid)
- Provision for fixing of accessories such as level indicators, temperature & pressure indicators, agitators, motors, pumps etc.
- Low maintenance
- Easily repairable in case of an accidental damage
- Highly durable
- A value for money product

Applications:

- Industrial
- Commercial
- Domestic

Frp vertical tanks		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	
	Body Material	FRP	

PP FRP Chemical Tanks		Product Details	
	Minimum Order Quantity	1 Litre	
	Capacity	250-500 L, 1000-5000 L, 5000-10000 L, 0-250 L, 500-1000 L, Available in any capacity subject to a maximum of 3.0 Lac Litres	
	Storage Material	Milk/Dairy, Chemicals/Oils, Gases, Water	
	Features	Horizontal Orientation, Vertical Orientation, Leg Support, Level Indicator Equipped, High Temperature Resistant	
	Brand	ARP	
	Body Material	FRP	

FRP Gutters


Providing you the best range of frp gutters, frp rain water gutters and fibre gutters with effective & timely delivery.


F.R.P. Gutters are weather proof and are superior substitutes for their metallic counterparts for use in industrial sheds.

Salient Features:

- High flexural, tensile & compressive strength
- Excellent resistance to rust & harmful U.V. Rays
- Light weight & therefore easy to install
- Provided with a smooth glass like laminated inside or outside finish
- Maintenance free and come with a warranty of up to 5 years
- Can be made anti-corrosive & fire retardant
- Can be cleaned as and when required
- Provided with a seating (male-female fixing) arrangement for linear extension & joining
- Ease of installation & fixing
- Standard designs include- Eaves, Box Type & Valley
- Can be designed in any other shape & size as per

- customer requirement
- FRP Down Pipes & Pipe Fittings (Flanged Tail Pieces, Sockets, Bends, Elbows, Shoes etc.) compatible for use with our Gutters also available
- Highly durable & offers good value for money in the long run

FRP Gutters		Product Details	
	Minimum Order Quantity	200 Square Meter	
	Usage/Application	Industrial sheds, Warehouses, Commercial Buildings, Infrastructure Facilities, Residences	
	Shape	Eaves, Valley, half round or any other as per customer requirement	
	Brand	ARP	
	Body Material	FRP	

FRP Rain Water Gutters		Product Details	
	Minimum Order Quantity	200 Square Meter	
	Usage/Application	Industrial sheds, Warehouses, Commercial Buildings, Infrastructure Facilities, Residences	
	Shape	Eaves, Valley, half round or any other as per customer requirement	
	Brand	ARP	
	Body Material	FRP	


FRP Fire Hose Boxes

Manufacturer of a wide range of products which include frp fire hose boxes and frp junction box.

Backed by the years of experience and expertise, we are engaged in offering a wide range of **FRP Fire Hose Box** to meet the needs of our clients. Our products are precision engineered and ensure longer functional life with optimum durability. These products are available in different sizes and shapes based on the specifications of the clients. We are providing our products in customize size.

Features:

- Sturdy
- Spacious
- Fine finish

FRP FIRE HOSE BOXES		Product Details	
	Usage/Application	fire extentions	
	Product Type	Double Door FRP, Single Door, Double Door	
	No. Of Doors	2	
	Shape	rectangular	
	Brand	ARP	
	Body Material	FRP	
	Corrosion Resistance	Yes	

FRP Junction Box

FRP Junction Box is dimensionally exact in nature and is offered in distinctive standard sizes.

These are impeccable to secure the gear kept inside furthermore utilized for joining wires to permit simple access when repairing is needed. We guarantee that the whole item range is fabricated utilizing quality tried fundamental material so that the final items are erosion safe furthermore have high load bearing limit. We can likewise offer our intersection confines both standard and redid sizes according to the customer's particular necessities.

Features:

- These boxes are safe to use
- These are thoroughly quality tested
- These are having longer shelf-life

FRP Junction Box	Product Details	
	Usage/Application	fire extentions
	Product Type	Double Door FRP, Single Door, Double Door
	No. Of Doors	2
	Shape	rectangular
	Brand	ARP
	Body Material	FRP
	Corrosion Resistance	Yes




FRP Fume Absorbers

Providing you the best range of frp fume absorbers, frp fume absorber and frp fume scrubber with effective & timely delivery.

We have with us a wide range of of **FRP fume Absorbers**, which are used for scrubbing hazardous gases and helping out the diversified application of related industry. Manufactured from high grade material using advanced technology, these are known for high strength, corrosion resistant and light weight. In addition, we also deal in the customization of this range of scrubbers and fume absorbers.

FRP Fume Absorbers	Product Details	
	Usage/Application	pollution
	Automation Grade	Manual
	Type	Wet Scrubber
	Brand	ARP
	Body Material	FRP
	Corrosion Resistance	Yes



FRP Fume Absorbers		Product Details	
		Usage/Application	pollution
		Automation Grade	Manual
		Type	Wet Scrubber
		Brand	ARP
		Body Material	FRP
		Corrosion Resistance	Yes


Vacuum Degassers

We are a proud manufacturer and supplier of extensive collections of **Vacuum Degassers**, which are of the highest quality. These are manufactured by procuring finest components from our trusted vendor base. We have team of quality controllers to keep an eye on every production stage to ensure that the products offered are of the excellent quality. Our collection includes Industrial Vessels, Anticorrosive Engineering Tanks and PP and FRP Products.

We are the leading supplier of extensive lines of **FRP Degassers** that are made out of high grade raw components under the supervision of our team of professionals. We have team of quality controllers to check quality at each stage of manufacturing process to ensure that the products manufactured are of excellent quality. These are known for its properties like long life service and excellent quality. These are extensively used in various industrial sectors.

Features:

- High quality
- Excellent performance
- Highly durable in nature

FRP Fume Absorbers		Product Details	
	Usage/Application	Pollution	
	Automation Grade	Manual	
	Type	Wet Scrubber	
	Brand	ARP	
	Body Material	FRP	
	Corrosion Resistance	Yes	

FRP COVERS


We are specialized in manufacturing and supplying excellent collections of high quality **FRP Covers**. These are widely used in various industrial purposes. We have a team of expert professionals to take care of all the steps of production. Our quality controllers take the effort to examine the quality of each product at every stage of production in order to ensure durability, reliability and optimality. Quality is tested on various parameters and industrial norms are followed at the time of manufacturing them.

Features:

- High quality
- Long life service
- Excellent performance
- Reliable and optimal features

Specification:

- Material: 100% polyester
- Size :as your request
- Color: any colors are available
- Logo: Yours are welcome
- With high quality material is suitable for outdoor use

FRP COVERS		Product Details	
	Minimum order	05	
	Automation Grade	Manual	
	Brand	ARP	
	Body Material	FRP	
	Corrosion Resistance	Yes	